



CONTINUOUS BELT IR FURNACE

Reference Manual

Version 2.6a



Training Guide and Supplemental Reference to the IR Furnace Equipment Owner's Manual

For comments and suggestions about this manual, please contact:

FurnacePros
675 North Eckhoff St., Bldg D
Orange, CA 92868 USA
+1 (714) 935-0302
Email: service@furnacepros.com

Continuous Belt IR Furnace

Reference Manual
Training Guide and Supplemental Reference
Version 2.6a

Part No. 675-110000-01 CD
Part No. 675-110000-02 Perfect Bound
Part No. 675-110000-03 Casewrap Hardcover

FurnacePros
Division of Lochaber Cornwall, Inc.
675 North Eckhoff Street, Bldg D
Orange, California 92868 USA

714.935.0302 fax 714.935.9809
www.furnacepros.com
service@furnacepros.com

The information in this document is subject to change without notice. The statements, configurations, technical data and recommendations in this document are believed to be accurate and reliable, but are presented without express or implied warranty. The only warranty for FurnacePros or Lochaber Cornwall, Inc. products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. THERE ARE NO OTHER WARRANTIES, EXPRESS, STATUTORY OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY AND OF FITNESS FOR PARTICULAR PURPOSE, NOR ANY AFFIRMATION OF FACT NOR REPRESENTATION WHICH EXTENDS BEYOND THE DESCRIPTION OF THE FACE HEREOF.

Users must take full responsibility for their application of any products, recommendations, processes or procedures mentioned in this document. Lochaber Cornwall shall not be liable for technical or editorial errors or omissions contained herein. The information in this document is proprietary to Lochaber Cornwall, Inc.

©2008 Lochaber Cornwall, Inc.
All Rights Reserved.

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical without express written permission from the publisher.

Contents

Chapter 1 1

| | | |
|-----|------------------------|---|
| 1 | Introduction | 1 |
| 1.1 | Introduction | 1 |
| 1.2 | Format..... | 2 |
| 1.3 | Where to Get Help..... | 3 |

Chapter 2 5

| | | |
|-----|---|---|
| 2 | Safety | 5 |
| 2.1 | General Precautions..... | 5 |
| 2.2 | EMO Buttons..... | 6 |
| 2.3 | H ₂ Operation Safety Overview (Option <input type="checkbox"/>) | 8 |

Chapter 3 9

| | | |
|-----|-------------------------------|----|
| 3 | Furnace Overview | 9 |
| 3.1 | Terminology | 9 |
| 3.2 | General Furnace Layout..... | 14 |
| 3.3 | Thermal Process | 15 |
| 3.4 | Furnace Options Listing | 17 |

Chapter 4 25

| | | |
|-----|---|----|
| 4 | Thermal Processing | 25 |
| 4.1 | Heating Concepts..... | 25 |
| 4.2 | Furnace Construction..... | 25 |
| 4.3 | Heating Chamber Design | 27 |
| 4.4 | Heating Lamps | 28 |
| 4.5 | Controlled Atmosphere (Option <input type="checkbox"/>)..... | 29 |
| 4.6 | Cooling Section (Option <input type="checkbox"/>)..... | 30 |
| 4.7 | Heating Chamber Options..... | 33 |

Chapter 5 39

| | | |
|-----|---|----|
| 5 | Software | 39 |
| 5.1 | Windows Interface..... | 39 |
| 5.2 | Startup Screen | 40 |
| 5.3 | Security Screen..... | 41 |
| 5.4 | Available Functions by Access Level | 44 |
| 5.5 | Operator Level Interface..... | 45 |

Contents

| | | |
|-----|---------------------|----|
| 5.6 | Alarms..... | 52 |
| 5.7 | Other Options | 53 |

Chapter 6 57

| | | |
|-----|--------------------------|----|
| 6 | Controller | 57 |
| 6.1 | Conceptual Overview..... | 57 |
| 6.2 | Terminology | 57 |
| 6.3 | Data Flow..... | 58 |
| 6.4 | Ethernet Location..... | 58 |
| 6.5 | PLC Components | 59 |

Chapter 7 63

| | | |
|-----|-------------------------------------|----|
| 7 | Maintenance | 63 |
| 7.1 | Maintenance Screen Overview | 63 |
| 7.2 | User Defined Maintenance Items..... | 64 |
| 7.3 | Furnace Calibration | 65 |
| 7.4 | Typical Wiring | 72 |
| 7.5 | Mechanical System Maintenance | 78 |

Chapter 8 85

| | | |
|---|-----------------|----|
| 8 | Troubleshooting | 85 |
|---|-----------------|----|

Chapter 9 87

| | | |
|------|--|-----|
| 9 | Process Engineering | 87 |
| 9.1 | Infrared Heating | 87 |
| 9.2 | Temperature Profiling | 90 |
| 9.3 | Creating a Recipe | 98 |
| 9.4 | Gas Flow..... | 104 |
| 9.5 | Creating an Optimum Process Environment..... | 106 |
| 9.6 | Balancing Gas Flow..... | 108 |
| 9.7 | Hydrogen Operation (Option <input type="checkbox"/>) | 110 |
| 9.8 | Check for an Escaping Environment..... | 117 |
| 9.9 | Plenum Gas Flow | 117 |
| 9.10 | Gas Flow Screen | 118 |
| 9.11 | Mass Flow Controller (Option <input type="checkbox"/>)..... | 119 |
| 9.12 | PC Anywhere..... | 120 |

Glossary 121

Tables and Figures

| | |
|--|----|
| Figure 2-1: Panel Switches Showing Normal Operation Position | 7 |
| Figure 2-2: Panel Switch Installed (Override Mode Position) | 7 |
| Figure 3-1: Furnace Nomenclature | 9 |
| Figure 3-2: Control Panel | 10 |
| Figure 3-3: Safety Enclosure | 10 |
| Figure 3-4: Lower Electrical Panel | 11 |
| Figure 3-5: SCR Panel and Fuses | 11 |
| Figure 3-6: Element Monitor Installation | 12 |
| Figure 3-7: Conveyor Belt Motor | 13 |
| Figure 3-8: Furnace Layout | 14 |
| Figure 3-9: Temperature Profile Example | 15 |
| Figure 3-10: Photoelectric Product Sensor | 17 |
| Figure 3-11: Brush Belt Cleaning System | 18 |
| Figure 3-12: Circuit Breaker Option | 18 |
| Figure 3-13: Lexan Shields | 19 |
| Figure 3-14: Standard Light Tower Option | 20 |
| Figure 3-15: Conveyor Belt Shown with Quartz Rollers | 21 |
| Figure 3-16: Thermocouple Wheel Assembly - 3 T/Cs | 22 |
| Figure 3-17: Ultrasonic Cleaner and Dryer installation | 23 |
| Figure 3-18: Uninterruptable Power Supply | 24 |
| Figure 4-19: Heating Chamber Construction. End view | 27 |
| Figure 4-20: Flow Meters | 29 |
| Figure 4-21: Water Cooled Controlled Atmosphere Cooling Module | 31 |
| Figure 4-22: Controlled Atmosphere Air Cooled Module | 32 |
| Figure 4-23: Pre-filter/Regulator Shown | 33 |
| Figure 4-24: Typical Air Purification Tanks | 34 |

Tables and Figures

| | |
|--|----|
| Figure 4-25: Edge Heaters | 35 |
| Figure 4-26: Cross Section of Furnace showing Edge Heaters | 35 |
| Figure 4-27: Plenum Box | 36 |
| Figure 4-28: Oxygen Analyzer | 37 |
| Figure 4-29: Oxygen Analyzer | 37 |
| Figure 4-30: Moisture Analyzer | 38 |
| | |
| Figure 5-1: FurnacePros Furnace Windows Start Bar | 39 |
| Figure 5-2: FurnacePros Furnace Software Startup screen | 40 |
| Figure 5-3: Security screen | 41 |
| Figure 5-4: Log-On Log-Off group | 42 |
| Figure 5-5: Exit button | 42 |
| Figure 5-6: Exit button | 42 |
| Figure 5-7: User List | 42 |
| Figure 5-8: Manage User Accounts | 43 |
| Figure 5-9: New User ID pop-up window | 43 |
| Figure 5-10: New User Password pop-up | 43 |
| Figure 5-11: New User Security Access Level assignment window | 43 |
| Figure 5-12: Process Screen | 45 |
| Figure 5-13: Recipe Screen (Operator Level Access) | 47 |
| Figure 5-14: MS Windows Browsing Pop-up | 48 |
| Figure 5-15: Recipe Storage and Retrieval | 49 |
| Figure 5-16: Logging Screen | 51 |
| Figure 5-17: Alarm Monitor Pop-up Window | 52 |
| Figure 5-18: Thermocouple Interface | 53 |
| Figure 5-19: Process Screen Highlighting Lane Button, | 54 |
| Figure 5-20: Recipe Screen Highlighting Product Length input field box | 55 |
| Figure 5-21: Send Value window | 55 |
| Figure 5-22: Product Tracking Window | 56 |

| | |
|--|----|
| Figure 6-1: Controller Overview | 57 |
| Figure 6-2: Control Data Flow | 58 |
| Figure 6-3: PLC Controller Ethernet Interface | 58 |
| Figure 6-4 Typical Channel Assignments - Windows Environment | 61 |
| | |
| Figure 7-1 Maintenance Screen | 63 |
| Figure 7-2 User Selectable Maintenance Description | 64 |
| Figure 7-3: Maintenance Frequency Dialog Box | 64 |
| Figure 7-4: Calibration pop-up window | 65 |
| Figure 7-5: SCR Calibration Diagram & SCR Detail | 68 |
| Figure 7-6: Belt Speed Calibration Diagram | 69 |
| Figure 7-7: Element Monitor Screen | 70 |
| Figure 7-8: Element Monitor Controller | 70 |
| Figure 7-9: Element Monitor Circuit Board | 71 |
| Figure 7-10: Element Monitor System Diagram | 71 |
| Figure 7-11: Thermocouple to I/O Module connection | 72 |
| Figure 7-12 Thermocouple Female Connector | 73 |
| Figure 7-13 Thermocouple Male Connector | 73 |
| Figure 7-14: Thermocouple Installed (Over Temperature T/C Shown) | 73 |
| Figure 7-15: Silicon-Controlled Rectifier (SCR) | 75 |
| Figure 7-16: Fuse Block | 75 |
| Figure 7-17: PLC with Digital and Analog modules | 76 |
| Figure 7-18: PLC Controller Ethernet Interface | 76 |
| Figure 7-19: I/O Module Removal | 76 |
| Figure 7-20: Drip Tray Cleaning Diagram | 78 |
| Figure 7-21: Lamp Replacement | 81 |
| Figure 7-22: Sprocket Alignment | 82 |
| Figure 7-23: Belt Tracking Adjustment Diagram | 83 |

Tables and Figures

| | |
|---|-----|
| Figure 9-1: Dominant Wavelength Graph | 87 |
| Figure 9-2: Temperature Profile | 90 |
| Table 9-2: Equilibrium Belt Speed Recommendations | 94 |
| Table 9-3: Non-Equilibrium Belt Speed Recommendations | 97 |
| Figure 9-3: Recipe Editor screen | 98 |
| Figure 9-4: PID Tuning screen | 103 |
| Figure 9-5 : H2 / Forming Gas Sequential Operation | 110 |
| Table 9-4: Gas Correction Factors | 116 |
| Figure 9-6: Mass Flow Control Valve Settings Screen | 119 |